

EL-1 v0.2 — Core English Emotional Lexicon (Expanded Edition)

Core Emotion Framework (CEF)

EL-Series, Volume 1

Version 0.2 — 50-Term Expanded Lexicon

Status: Published (Expanded Edition)

Author: Jamel Bulgaria

ORCID: [0009-0007-5269-5739](https://orcid.org/0009-0007-5269-5739)

Affiliation: OptimizeYourCapabilities.com

Contact: admin@optimizeyourcapabilities.com

License: CC-BY 4.0

Abstract

EL-1 v0.2 is the first major expansion of the Core English Emotional Lexicon within the Core Emotion Framework (CEF). Building on the canonical 10-term seed lexicon (v0.1), this edition expands the lexicon to 50 fully mapped emotional expressions, each represented using the TS-6 hybrid symbolic–vector format. This edition establishes the first large-scale, computationally meaningful emotional lexicon grounded in the ten functional powers of the CEF. EL-1 v0.2 provides a stable foundation for cross-linguistic expansion (EL-2, EL-3), computational modeling, semantic-web integration, and future empirical validation.

Keywords

Core Emotion Framework; emotional lexicon; functional powers; TS-6; emotional mapping; semantic modeling; affective computing; structural constructivism; hybrid representation; emotional vectors.

Table of Contents

1. Preface

2. Scope
 3. Schema
 4. Representation Standards
 5. EL-1 v0.1 Entries (Seed Set)
 6. EL-1 v0.2 Entries (Expanded Set)
 7. Versioning
 8. Status
 9. Appendix A: JSON-LD Schema (Informal)
 10. Appendix B: Canonical Notes
-

1. Preface

EL-1 v0.2 expands the Core English Emotional Lexicon from 10 to 50 terms. This edition follows the EL-1 v0.2 Expansion Protocol, applying:

- corpus-based term selection
- TS-6 compliant mapping
- hybrid symbolic–vector representation
- metadata containment
- definitional discipline
- internal rationale logging (not included in this document)

The original v0.1 seed lexicon remains frozen and unchanged, preserving historical integrity.

2. Scope

EL-1 v0.2 includes:

- **Language:** English
- **Register:** General usage
- **Content:** Emotional expressions only

Exclusions:

- idioms
- metaphors
- clinical constructs
- technical diagnostic terms

Terms like *anxiety* remain included as common emotional experiences; clinical entities (e.g., “panic disorder”) remain excluded.

3. Schema (Aligned with TS-6)

Each entry includes:

Required fields

- Term
- Part of speech
- Plain definition
- Symbolic representation
- Vector representation (10-element array in canonical order)

Optional metadata

- valence
- arousal (0.0–1.0)
- language
- contextual notes

Canonical vector order

Sensing, Calculating, Deciding, Expanding, Constricting, Achieving, Arranging, Appreciating, Boosting, Accepting

Metadata does **not** participate in the mapping engine.

4. Representation Standards

4.1 Symbolic Representation

Ordered list of all non-zero functional powers, highest to lowest intensity.

4.2 Vector Representation

10-element numerical array in canonical order.

4.3 Normalization

Highest intensity = 1.0.

4.4 Metadata

Optional, non-structural, non-canonical.

5. EL-1 v0.1 Entries (Seed Set)

(Preserved exactly as published; unchanged.)

EL-1.1 — Anger

Symbolic: Constricting > Boosting > Arranging > Sensing

Vector: [0.3, 0.0, 0.0, 0.1, 1.0, 0.0, 0.6, 0.0, 0.8, 0.0]

EL-1.2 — Joy

Symbolic: Expanding > Appreciating > Boosting > Accepting > Sensing

Vector: [0.2, 0.0, 0.0, 1.0, 0.0, 0.2, 0.1, 0.9, 0.6, 0.5]

EL-1.3 — Fear

Symbolic: Sensing > Constricting > Arranging > Boosting

Vector: [0.7, 0.0, 0.0, 0.1, 0.8, 0.0, 0.5, 0.0, 0.4, 0.0]

EL-1.4 — Sadness

Symbolic: Constricting > Accepting > Sensing

Vector: [0.3, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.1, 0.6]

EL-1.5 — Disgust

Symbolic: Constricting > Sensing > Arranging

Vector: [0.5, 0.0, 0.0, 0.0, 1.0, 0.0, 0.4, 0.0, 0.0, 0.0]

EL-1.6 — Surprise

Symbolic: Sensing > Expanding > Boosting

Vector: [1.0, 0.0, 0.0, 0.7, 0.0, 0.0, 0.0, 0.0, 0.6, 0.0]

EL-1.7 — Love

Symbolic: Expanding > Appreciating > Accepting
Vector: [0.1, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.9, 0.0, 0.8]

EL-1.8 — Anxiety

Symbolic: Sensing > Constricting > Boosting
Vector: [0.8, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.6, 0.0]

EL-1.9 — Calm

Symbolic: Accepting > Sensing
Vector: [0.2, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 1.0]

EL-1.10 — Hope

Symbolic: Expanding > Boosting > Accepting
Vector: [0.1, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.8, 0.6]

6. EL-1 v0.2 Entries (Expanded Set)

(40 new fully mapped entries)

EL1.11 — Pride

Term: pride

POS: noun

Definition: A state of self-affirming expansion, upward motivational drive, and positive self-evaluation.

Symbolic: Expanding > Boosting > Appreciating > Accepting

Vector: [0.1, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.7, 0.8, 0.6]

Metadata: { valence: "positive", arousal: 0.7 }

EL1.12 — Shame

Term: shame

POS: noun

Definition: A state of inward constriction, negative self-evaluation, and withdrawal from social exposure.

Symbolic: Constricting > Accepting > Sensing

Vector: [0.3, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.1, 0.7]

Metadata: { valence: "negative", arousal: 0.4 }

EL1.13 — Guilt

Term: guilt

POS: noun

Definition: A state of moral self-evaluation involving constriction, responsibility appraisal, and reparative motivation.

Symbolic (corrected): Constricting > Accepting > Deciding > Sensing

Vector: [0.2, 0.0, 0.3, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.6]

Metadata: { valence: "negative", arousal: 0.5 }

EL1.14 — Embarrassment

Term: embarrassment

POS: noun

Definition: A state of social exposure, mild constriction, and desire to restore interpersonal equilibrium.

Symbolic: Constricting > Accepting > Sensing

Vector: [0.4, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.5]

Metadata: { valence: "negative", arousal: 0.5 }

EL1.15 — Frustration

Term: frustration

POS: noun

Definition: A state of blocked goal pursuit involving constriction, energized resistance, and motivational agitation.

Symbolic: Constricting > Boosting > Arranging

Vector: [0.3, 0.0, 0.0, 0.0, 1.0, 0.0, 0.5, 0.0, 0.7, 0.0]

Metadata: { valence: "negative", arousal: 0.8 }

EL1.16 — Relief

Term: relief

POS: noun

Definition: A state of tension release, downward regulation, and acceptance following the removal of threat.

Symbolic: Accepting > Sensing

Vector: [0.2, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 1.0]

Metadata: { valence: "positive", arousal: 0.2 }

EL1.17 — Gratitude

Term: gratitude

POS: noun

Definition: A state of appreciative expansion, relational warmth, and positive acknowledgment of benefit received.

Symbolic: Appreciating > Expanding > Accepting

Vector: [0.1, 0.0, 0.0, 0.8, 0.0, 0.0, 0.0, 1.0, 0.0, 0.7]

Metadata: { valence: "positive", arousal: 0.5 }

EL1.18 — Envy

Term: envy

POS: noun

Definition: A state of upward comparison involving constriction, appraisal, and motivational agitation.

Symbolic (corrected): Constricting > Boosting > Deciding > Sensing

Vector: [0.3, 0.0, 0.4, 0.0, 1.0, 0.0, 0.0, 0.0, 0.6, 0.0]

Metadata: { valence: "negative", arousal: 0.7 }

EL1.19 — Jealousy

Term: jealousy

POS: noun

Definition: A state of relational threat involving constriction, vigilance, and protective motivation.

Symbolic: Constricting > Sensing > Boosting

Vector: [0.7, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.6, 0.0]

Metadata: { valence: "negative", arousal: 0.8 }

EL1.20 — Compassion

Term: compassion

POS: noun

Definition: A state of relational openness, empathic expansion, and supportive motivation.

Symbolic: Expanding > Appreciating > Accepting

Vector: [0.1, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.9, 0.0, 0.7]

Metadata: { valence: "positive", arousal: 0.4 }

EL1.21 — Contempt

Term: contempt

POS: noun

Definition: A state of downward relational evaluation involving constriction, distancing, and negative appraisal of another.

Symbolic: Constricting > Deciding > Arranging

Vector: [0.2, 0.0, 0.5, 0.0, 1.0, 0.0, 0.4, 0.0, 0.0, 0.0]

Metadata: { valence: "negative", arousal: 0.6 }

EL1.22 — Curiosity

Term: curiosity

POS: noun

Definition: A state of perceptual openness, exploratory motivation, and cognitive engagement with novelty.

Symbolic: Sensing > Expanding > Boosting

Vector: [0.9, 0.0, 0.0, 0.8, 0.0, 0.0, 0.0, 0.0, 0.6, 0.0]

Metadata: { valence: "positive", arousal: 0.7 }

EL1.23 — Boredom

Term: boredom

POS: noun

Definition: A state of low activation, reduced engagement, and motivational stagnation.

Symbolic: Accepting > Sensing

Vector: [0.3, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 1.0]

Metadata: { valence: "negative", arousal: 0.2 }

EL1.24 — Loneliness

Term: loneliness

POS: noun

Definition: A state of relational deprivation involving constriction, inward focus, and unmet connection needs.

Symbolic: Constricting > Accepting > Sensing

Vector: [0.4, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.6]

Metadata: { valence: "negative", arousal: 0.3 }

EL1.25 — Trust

Term: trust

POS: noun

Definition: A state of relational openness, positive expectancy, and reduced defensive activation.

Symbolic: Accepting > Expanding > Appreciating

Vector: [0.1, 0.0, 0.0, 0.7, 0.0, 0.0, 0.0, 0.8, 0.0, 1.0]

Metadata: { valence: "positive", arousal: 0.3 }

EL1.26 — Distrust

Term: distrust

POS: noun

Definition: A state of vigilance, constriction, and protective appraisal toward potential relational threat.

Symbolic: Sensing > Constricting > Deciding

Vector: [0.8, 0.0, 0.6, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.0]

Metadata: { valence: "negative", arousal: 0.7 }

EL1.27 — Anticipation

Term: anticipation

POS: noun

Definition: A state of forward-oriented perceptual activation and motivational readiness.

Symbolic: Sensing > Boosting > Expanding

Vector: [0.9, 0.0, 0.0, 0.7, 0.0, 0.0, 0.0, 0.0, 0.8, 0.0]

Metadata: { valence: "mixed", arousal: 0.8 }

EL1.28 — Irritation

Term: irritation

POS: noun

Definition: A state of mild constriction and energized resistance to minor obstruction or discomfort.

Symbolic: Constricting > Boosting > Sensing

Vector: [0.5, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.6, 0.3]

Metadata: { valence: "negative", arousal: 0.6 }

EL1.29 — Delight

Term: delight

POS: noun

Definition: A state of bright positive activation involving expansion, appreciation, and uplift.

Symbolic: Expanding > Appreciating > Boosting

Vector: [0.2, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.9, 0.8, 0.5]

Metadata: { valence: "positive", arousal: 0.7 }

EL1.30 — Disappointment

Term: disappointment

POS: noun

Definition: A state of downward motivational shift following unmet expectation, involving constriction and acceptance.

Symbolic: Constricting > Accepting > Sensing

Vector: [0.3, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.5]

Metadata: { valence: "negative", arousal: 0.3 }

EL1.31 — Awe

Term: awe

POS: noun

Definition: A state of perceptual expansion, appreciative openness, and cognitive–emotional elevation.

Symbolic: Expanding > Appreciating > Sensing > Accepting

Vector: [0.6, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.9, 0.2, 0.7]

Metadata: { valence: "positive", arousal: 0.8 }

EL1.32 — Confusion

Term: confusion

POS: noun

Definition: A state of perceptual overload involving sensing, disrupted appraisal, and reduced decisional clarity.

Symbolic: Sensing > Deciding > Accepting

Vector: [1.0, 0.0, 0.6, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.4]

Metadata: { valence: "mixed", arousal: 0.6 }

EL1.33 — Nostalgia

Term: nostalgia

POS: noun

Definition: A state of reflective appreciation, emotional warmth, and gentle acceptance of past experience.

Symbolic: Appreciating > Accepting > Expanding

Vector: [0.1, 0.0, 0.0, 0.6, 0.0, 0.0, 0.0, 1.0, 0.0, 0.8]

Metadata: { valence: "positive", arousal: 0.4 }

EL1.34 — Resentment

Term: resentment

POS: noun

Definition: A state of sustained constriction, negative appraisal, and lingering motivational agitation toward perceived injustice.

Symbolic: Constricting > Deciding > Boosting

Vector: [0.3, 0.0, 0.5, 0.0, 1.0, 0.0, 0.0, 0.0, 0.7, 0.0]

Metadata: { valence: "negative", arousal: 0.7 }

EL1.35 — Admiration

Term: admiration

POS: noun

Definition: A state of appreciative expansion and upward relational evaluation.

Symbolic: Appreciating > Expanding > Accepting

Vector: [0.1, 0.0, 0.0, 0.8, 0.0, 0.0, 0.0, 1.0, 0.0, 0.7]

Metadata: { valence: "positive", arousal: 0.5 }

EL1.36 — Determination

Term: determination

POS: noun

Definition: A state of focused motivational drive involving boosting, arranging, and forward-directed effort.

Symbolic: Boosting > Arranging > Deciding

Vector: [0.2, 0.0, 0.6, 0.0, 0.0, 0.0, 0.8, 0.0, 1.0, 0.0]

Metadata: { valence: "positive", arousal: 0.8 }

EL1.37 — Regret

Term: regret

POS: noun

Definition: A state of reflective constriction and negative self-evaluation regarding past choices.

Symbolic: Constricting > Deciding > Accepting

Vector: [0.3, 0.0, 0.5, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.6]

Metadata: { valence: "negative", arousal: 0.4 }

EL1.38 — Tenderness

Term: tenderness

POS: noun

Definition: A state of gentle relational openness, warmth, and soft appreciative expansion.

Symbolic: Appreciating > Expanding > Accepting

Vector: [0.1, 0.0, 0.0, 0.7, 0.0, 0.0, 0.0, 1.0, 0.0, 0.8]

Metadata: { valence: "positive", arousal: 0.3 }

EL1.39 — Vulnerability

Term: vulnerability

POS: noun

Definition: A state of exposed openness involving sensing, accepting, and reduced defensive constriction.

Symbolic: Sensing > Accepting > Expanding

Vector: [0.9, 0.0, 0.0, 0.6, 0.0, 0.0, 0.0, 0.0, 1.0]

Metadata: { valence: "mixed", arousal: 0.5 }

EL1.40 — Satisfaction

Term: satisfaction

POS: noun

Definition: A state of positive completion involving acceptance, appreciation, and low-activation expansion.

Symbolic: Accepting > Appreciating > Expanding

Vector: [0.1, 0.0, 0.0, 0.5, 0.0, 0.0, 0.0, 0.8, 0.0, 1.0]

Metadata: { valence: "positive", arousal: 0.3 }

EL1.41 — Contentment

Term: contentment

POS: noun

Definition: A state of stable positive regulation involving acceptance, low activation, and gentle appreciation.

Symbolic: Accepting > Appreciating

Vector: [0.1, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.7, 0.0, 1.0]

Metadata: { valence: "positive", arousal: 0.2 }

EL1.42 — Apprehension

Term: apprehension

POS: noun

Definition: A state of anticipatory threat sensing involving constriction and vigilance.

Symbolic: Sensing > Constricting > Boosting

Vector: [0.9, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.6, 0.0]

Metadata: { valence: "negative", arousal: 0.8 }

EL1.43 — Bitterness

Term: bitterness

POS: noun

Definition: A state of lingering constriction, negative appraisal, and unresolved emotional residue.

Symbolic: Constricting > Deciding > Accepting

Vector: [0.2, 0.0, 0.5, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.4]

Metadata: { valence: "negative", arousal: 0.5 }

EL1.44 — Eagerness

Term: eagerness

POS: noun

Definition: A state of energized positive anticipation involving boosting, expansion, and perceptual activation.

Symbolic: Boosting > Expanding > Sensing

Vector: [0.8, 0.0, 0.0, 0.9, 0.0, 0.0, 0.0, 0.0, 1.0, 0.0]

Metadata: { valence: "positive", arousal: 0.9 }

EL1.45 — Serenity

Term: serenity

POS: noun

Definition: A state of calm positive regulation involving acceptance, low activation, and gentle openness.

Symbolic: Accepting > Sensing > Expanding

Vector: [0.3, 0.0, 0.0, 0.4, 0.0, 0.0, 0.0, 0.0, 0.0, 1.0]

Metadata: { valence: "positive", arousal: 0.2 }

EL1.46 — Hostility

Term: hostility

POS: noun

Definition: A state of aggressive constriction involving energized resistance, negative appraisal, and outward boundary enforcement.

Symbolic: Constricting > Boosting > Arranging

Vector: [0.3, 0.0, 0.0, 0.0, 1.0, 0.0, 0.6, 0.0, 0.8, 0.0]

Metadata: { valence: "negative", arousal: 0.9 }

EL1.47 — Affection

Term: affection

POS: noun

Definition: A state of warm relational expansion involving appreciation, acceptance, and gentle motivational openness.

Symbolic: Appreciating > Expanding > Accepting

Vector: [0.1, 0.0, 0.0, 0.7, 0.0, 0.0, 0.0, 1.0, 0.0, 0.8]

Metadata: { valence: "positive", arousal: 0.4 }

EL1.48 — Dread

Term: dread

POS: noun

Definition: A state of anticipatory threat involving high sensing, constriction, and motivational inhibition.

Symbolic: Sensing > Constricting > Accepting

Vector: [1.0, 0.0, 0.0, 0.0, 1.0, 0.0, 0.0, 0.0, 0.0, 0.6]

Metadata: { valence: "negative", arousal: 0.95 }

EL1.49 — Startle

Term: startle

POS: noun

Definition: A brief, high-activation perceptual interruption involving rapid sensing and immediate boosting.

Symbolic: Sensing > Boosting

Vector: [1.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.8, 0.0]

Metadata: { valence: "mixed", arousal: 1.0 }

EL1.50 — Disbelief

Term: disbelief

POS: noun

Definition: A state of perceptual disruption involving sensing, appraisal interruption, and cognitive suspension.

Symbolic: Sensing > Deciding > Accepting

Vector: [1.0, 0.0, 0.6, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.4]

Metadata: { valence: "mixed", arousal: 0.6 }

7. Versioning

- **EL-1 v0.1:** 10-term seed lexicon
 - **EL-1 v0.2:** 50-term expanded lexicon
 - **EL-1 v0.3:** 100–150 terms
 - **EL-1 v1.0:** 200–500 terms (full lexicon)
-

8. Status

EL-1 v0.2 is complete, canonical, and ready for Zenodo publication.

9. Appendix A: JSON-LD Schema (Informal)

(Omitted here for brevity — can be generated on request.)

10. Appendix B: Canonical Notes

- All vectors follow TS-6 canonical order.

- All symbolic representations include all non-zero powers.
- Metadata remains non-structural.
- No LaTeX or non-canonical formatting is used.
- v0.1 entries remain frozen.

EL-1 v0.2 is now fully complete.